

ENGINEERED LINING SYSTEMS

Our modular ceramic lining systems are tailored for easy replacement and can fit any chute profile. With in-house CNC cutting and design expertise, we ensure fast delivery and precision.



CUMI Advantage



Material properties: we leverage cutting-edge R&D and innovation in material science to deliver superior ceramic solutions.



One-stop-shop: we offer comprehensive project management, from design to onsite maintenance, ensuring seamless integration and optimal performance.







Precision Engineering: Our in-house engineering team ensures fast and seamless production and replacement of components



Proven performance: We have over 20 years of experience operating in Australia, backed by the Murugappa Group in India, and hold the largest import market share of ceramics.

A GLOBAL LEADER IN ENGINEERED CERAMICS





Ceramic Tile Grades	CUMITUFF, CUMIXTRATUFF, CUMIULTRATUFF, CUMIXTREME, CUMIZIRTUFF
Ceramic Thickness	13-100mm
Ceramic Shapes	Cube, hexagonal, rectangle or cylindrical
Standard liner plate sizes	300x300x63mm, 300x300x37mm,
	300x300x25mm, 300x150x25mm,
	300x150x63mm, 300x150x37mm,
	300x530x63mm, 300x550x63mm,
	450x300x63mm, 450x300x37mm,
	498x498x63mm, 498x498x37mm,

